



## NETAFIM™ FLEXIBLE PIPES FLEXNET™

INNOVATIVE MAINLINE AND SUB-MAINLINE PIPING SOLUTIONS  
THAT ARE EASY TO INSTALL, RECOIL AND RELOCATE



FLEXNET™



FLEXNET HP™


### APPLICATIONS

For seasonal crop:

- Sub main for all drip irrigation and sprinkler systems
- Water delivery pipes

### FEATURES AND BENEFITS

- Reduced labor through simple and fast installation and retrieval, that is achieved due to low product weight, pre-ordered welded outlets at a spacing that match farmer needs, and specially-designed dripperline connectors that require no glue or Teflon
- Reduced weeding and muddy spots thanks to perfect sealing between the patented outlets and the pipe, that are guaranteed to provide top performance over many years
- Dripperlines remain in the same position throughout the entire season due to avoidance of the "snaking" phenomenon that is prevalent with other sub-main pipes in the market.
- Product longevity is achieved through unique weaving that provides both strength and light weight and thus allow numerous layings and retrievals
- White colored for high thermal resistance, high chemical resistance and UV resistance
- Full suite of auxiliary products that ensure simplicity, connectivity and maintenance that guarantees product's extended performance



### SPECIFICATIONS

	FLEXNET™	FLEXNET HP™
ISO 16438 Standard Compatibility	√	√
Available diameters	2", 3", 4", 6", 8", 10", 12"	2", 3", 4", 6", 8"
Coil length	50 or 100 meter	50 or 100 meter
Welded outlet color	Green	Black
Colored strip for easy identification	Black	Red
Raw material	PP	PE
Maximum working pressure	Depending on pipe diameter (see table below)	

## FLEXNET™ TECHNICAL DATA

FLEXNET™	INSIDE DIAMETER (MM)	WALL THICKNESS (MM)	OUTSIDE DIAMETER (MM)	MAX. WORKING PRESSURE (BAR)
2" / 51mm	51.5	0.75	53.2	2.5
3" / 78mm	78.3	0.75	80.0	2.0
4" / 102mm	102.5	0.75	104.2	1.7
6" / 163mm	163.0	0.75	164.7	1.4
8" / 209mm	209.0	0.75	210.7	1.0
10" / 260mm	260.0	0.75	261.7	0.8
12" / 320mm	320.0	0.75	321.7	0.65

## FLEXNET™ PACKAGE DATA

FLEXNET™	COIL LENGTH (M)	DIMENSIONS WIDTH*DIAMETER (CM*CM)	COIL WEIGHT BLANK / WITH CONNECTORS (KG)	COILS PER PALLET (UNITS)	COIL LENGTH (M)	DIMENSIONS WIDTH*DIAMETER (CM*CM)	COIL WEIGHT BLANK / WITH CONNECTORS (KG)	COILS PER PALLET (UNITS)
2" / 51mm	100	10.0*70	13 / 14	20	50	10.0*55	9	40
3" / 78mm	100	14.2*70	16 / 17	14	50	14.2*55	11 / 14	28
4" / 102mm	100	18.5*70	21 / 22	12	50	18.5*55	14 / 21	24
6" / 163mm	100	27.5*70	32 / 33	6	50	27.5*55	19 / 28	12
8" / 209mm	100	33.5*70	43 / 44	6	50	33.5*55	25 / 38	12
10" / 260mm	100	42.5*70	51 / 52	6	50	42.5*55	32 / 48	12
12" / 320mm	100	51.5*70	65 / 66	4	50	51.5*55	37 / 55	8

\* Please note that coils dimensions may vary if the spacing between the integral connectors is less than 1m

## FLEXNET HP™ TECHNICAL DATA

FLEXNET HP™	INSIDE DIAMETER (MM)	WALL THICKNESS (MM)	OUTSIDE DIAMETER (MM)	MAX. WORKING PRESSURE (BAR)
2" / 51mm	51.5	1.1	53.7	3.0
3" / 78mm	78.3	1.1	80.5	3.0
4" / 102mm	102.5	1.1	104.7	3.0
6" / 163mm	163.0	1.1	165.2	2.2
8" / 209mm	209.0	1.1	210.7	1.5

## FLEXNET HP™ PACKAGE DATA

FLEXNET HP™	COIL LENGTH (M)	DIMENSIONS WIDTH*DIAMETER (CM*CM)	COIL WEIGHT BLANK / WITH CONNECTORS (KG)	COILS PER PALLET (UNITS)	COIL LENGTH (M)	DIMENSIONS WIDTH*DIAMETER (CM*CM)	COILS PER PALLET (UNITS)
2" / 51mm	100	9.0*70	15 / 16	22	50	9.0*55	36
3" / 78mm	100	14.0*70	27 / 28	14	50	14.0*55	28
4" / 102mm	100	18.5*70	35 / 36	12	50	18.5*55	24
6" / 163mm	100	27.5*70	52 / 53	6	50	27.5*55	12
8" / 209mm	100	33.5*70	62 / 63	6	50	33.5*55	12

## FLEXNET™ BLANK PIPES

Catalog number: 43002-(any of below 6 digits)

FLEXNET™	BLANK PIPE 50 METER	BLANK PIPE 100 METER
2" / 51mm	000177	000179
3" / 78mm	000197	000199
4" / 102mm	000203	000205
6" / 163mm	000220	000222
8" / 209mm	000230	000237
10" / 260mm	000247	000257
12" / 320mm	000267	000277



FLEXNET™

## FLEXNET™ PIPES WITH INTEGRAL WELDED CONNECTORS

Catalog number: 43002-(any of below 6 digits)

FLEXNET™	0.50 (M) BETWEEN CONN. 100 METER	0.50 (M) BETWEEN CONN. 50 METER	0.70 (M) BETWEEN CONN. 100 METER	0.70 (M) BETWEEN CONN. 50 METER	0.75 (M) BETWEEN CONN. 100 METER	0.75 (M) BETWEEN CONN. 50 METER	0.80 (M) BETWEEN CONN. 100 METER	0.80 (M) BETWEEN CONN. 50 METER
2"/51 mm	000420	000410	000450	000440	000480	000470	000510	000500
3"/78 mm	001060	001050	001850	001848	001860	001858	001863	001861
4"/102 mm	002523	002519	002552	002550	002557	002555	002564	002562
6"/163 mm	003300	003290	003920	003918	003935	003930		
8"/209 mm					005000	004990		
10"/260 mm								

FLEXNET™	0.90 (M) BETWEEN CONN. 100 METER	0.90 (M) BETWEEN CONN. 50 METER	1.00 (M) BETWEEN CONN. 100 METER	1.00 (M) BETWEEN CONN. 50 METER	1.40 (M) BETWEEN CONN. 50 METER	1.40 (M) BETWEEN CONN. 100 METER	1.50 (M) BETWEEN CONN. 50 METER	1.50 (M) BETWEEN CONN. 100 METER	1.60 (M) BETWEEN CONN. 50 METER	1.60 (M) BETWEEN CONN. 100 METER
2"/51 mm	000570	000560	000600	000590	000650	000660	000680	000690		
3"/78 mm	001890	001888	001900	001898	001998	002000	002010	002012	002015	002017
4"/102 mm	002570	002568	002600	002590	003001	003000	003030	003032	003080	003090
6"/163 mm	003940	003938			003984	003990	003997	004000	004020	004030
8"/209 mm							005010	005020		
10"/260 mm										

\* Missing catalog numbers available upon request

\*\* Other distances and configurations between integral welded connectors available upon request

Additional catalog numbers can be configured by the FlexNet™ on-line configurator:  
<http://productconfig.netafim.com/>

## FLEXNET HP™ BLANK PIPES

Catalog number: 43000-(any of below 6 digits)

FLEXNET HP™	BLANK PIPE 50 METER	BLANK PIPE 100 METER
2" / 51mm	000510	000530
3" / 78mm	000550	000560
4" / 102mm	000580	000600
6" / 163mm	000650	000670
8" / 209mm	000675	000680



## FLEXNET HP™ PIPES WITH INTEGRAL WELDED CONNECTORS

Catalog number: 43000-(any of below 6 digits)

FLEXNET HP™	0.5 (M) BETWEEN CONN. 100 METER	1.0 (M) BETWEEN CONN. 100 METER	1.2 (M) BETWEEN CONN. 100 METER	1.5 (M) BETWEEN CONN. 100 METER	1.8 (M) BETWEEN CONN. 100 METER	5.0 (M) BETWEEN CONN. 100 METER	8.0 (M) BETWEEN CONN. 100 METER	10.0 (M) BETWEEN CONN. 100 METER
2" / 51mm	006200	006800	006900		006980	007240	007275	007360
3" / 78mm	009470	010015	010030	010050	010100	010225	010280	010300
4" / 102mm	013870		014035	014050	014100		014270	014300
6" / 163mm				015003				
8" / 209mm		015102						

\* Missing catalog numbers available upon request

\*\* Other distances and configurations between integral welded connectors available upon request

FLEXNET HP™	0.5 (M) BETWEEN CONN. 50 METER	1.0 (M) BETWEEN CONN. 50 METER	1.2 (M) BETWEEN CONN. 50 METER	1.5 (M) BETWEEN CONN. 50 METER	1.8 (M) BETWEEN CONN. 50 METER	1.93 (M) BETWEEN CONN. 50 METER	1.93 (M) BETWEEN CONN. 100 METER	8.0 (M) BETWEEN CONN. 50 METER	10.0 (M) BETWEEN CONN. 50 METER
2" / 51mm	006100	006760	006860		006940		007000	007265	007320
3" / 78mm	009460	008504	008507	008550	008600	008700	010200	008780	008800
4" / 102mm	011850			012050	012100	012200	014200	012270	012300
6" / 163mm				015001					
8" / 209mm		015100							

\* Missing catalog numbers available upon request



\*\* Other distances and configurations between integral welded connectors available upon request

Additional catalog numbers can be configured by the FlexNet™ on-line configurator:  
<http://productconfig.netafim.com/>

# FLEXNET™ TO DRIPPERLINES CONNECTORS

TO USE WITH INTEGRAL WELDED CONNECTORS

## START CONNECTORS FOR 12 MM TWD/MWD DRIPPERLINES

PRODUCT PICTURE	PRODUCT DESCRIPTION	CATALOGUE NO.	FLEXNET™	FLEXNET HP™
	Fast elbow 12 w/blue ring MTH 1/2"	32500-003360	√	√
	Fast "T" 12 w/blue ring MTH 1/2"	32500-002565	√	√

√ = Suitable

## START CONNECTORS FOR 16 MM TWD/MWD DRIPPERLINES







PRODUCT PICTURE	PRODUCT DESCRIPTION	CATALOGUE NO.	FLEXNET™	FLEXNET HP™
	Fast elbow 16 w/blue ring MTH 1/2"	32500-015381	√	√
	Fast "T" 16 w/blue rings MTH 1/2"	32500-015341	√	√
	Fast elbow 16 w/o ring MTH 1/2"	32500-015380	√	√
	Fast "T" 16 w/o rings MTH 1/2"	32500-015340	√	√
	White ring 16 For MWD	32500-017600	√	√
	Black flat ring for HWD	32000-006950	√	√
	Twist lock elbow 16 MTH 1/2"	32500-011380	√	√
	Twist lock elbow "T" 16 MTH 1/2"	32500-011370	√	√

√ = Suitable




TWD - Thin Wall DripperLines

MWD - Medium Wall DripperLines



## START CONNECTORS FOR 22 & 25 MM TWD/MWD DRIPPERLINES

PRODUCT PICTURE	PRODUCT DESCRIPTION	CATALOGUE NO.	FLEXNET™	FLEXNET HP™
	Fast elbow 22 w/blue ring MTH 1/2" 1 unit 100 units/bag	32500-034020 32500-034040	√	√
	Fast "T" 22 w/blue rings MTH 1/2" 1 unit 100 units/bag	32500-034120 32500-034130	√	√
	TL elbow 22 MTH 1/2" 1 unit	32500-014770	√	√
	TL "T" 22 x 2 MTH 1/2" 1 unit	32500-014750	√	√
	Fast elbow 25 w/black ring MTH 1/2" 1 unit	32500-034220	√	√
	Fast "T" 25 w/black ring MTH 1/2" 1 unit	32500-034320	√	√

## START CONNECTORS FOR 16/17 MM HWD DRIPPERLINES

PRODUCT PICTURE	PRODUCT DESCRIPTION	CATALOGUE NO.	FLEXNET™	FLEXNET HP™
	Elbow Flare 16-17 MTH 1/2"	32500-025750	√	√
	Elbow Barb 16 MTH 1/2"	32500-012700	√	√
	"T" barb 16 x 2 MTH 1/2"	32500-011600	√	√

## FLEXNET™ COMPLEMENTARY PRODUCTS

PRODUCT PICTURE	PRODUCT DESCRIPTION	CATALOGUE NO.	FLEXNET™	FLEXNET HP™
	FXN PLUG 0.5" MTH+O RING/50 BAG FXN PLUG 0.5" MTH+O RING/100 BAG	42000-027105 42000-027110	√	√
	NETAFIX NFP PUNCTURE FIX KIT BOX NETAFIX NFP SPARE PARTS /20 BAG	42000-007000 42000-007010	√	√

## FLEXNET™ CONNECTORS KITS

Note: All the products are supplied as a kit including the seal and metal band.

PRODUCT PICTURE	PRODUCT DESCRIPTION	CATALOG NO.	FLEXNET™	FLEXNET HP™
<b>COUPLING CONNECTOR</b>				
	2"/51 mm	43040-018000	√	√
	3"/78 mm	43040-018150	√	√
	4"/102 mm	43040-018300	√	√
<b>COUPLING CONNECTOR WITH READY MADE PORT</b>				
 * 1/2" threaded outlet	2"/51 mm + 1/2" BSP Port	43040-030600	√	√
	3"/78 mm + 1/2" BSP Port	43040-030700	√	√
	4"/102 mm + 1/2" BSP Port	43040-030800	√	√
<b>COUPLING CONNECTOR</b>				
	PX 6"/160	43040-031600	√	
	PX 8"/209	43040-031700	√	
	PX 10"/260	43040-031800	√	
	PX 12"/360	43040-031900	√	
<b>LINE END CAP CONECTOR</b>				
	2"/51 mm	43040-020710	√	√
	3"/78 mm	43040-020720	√	√
	4"/102 mm	43040-020730	√	√
<b>ELBOW CONNECTOR</b>				
	2"/51 mm	43040-018900	√	√
	3"/78 mm	43040-019000	√	√
	4"/102 mm	43040-019100	√	√
 Each kit includes 2 rubber gaskets and 2 metal rings	6"/160 mm	43020-016500	√	
	8"/209 mm	43020-016550	√	
	10"/260 mm	43020-016600	√	
	12"/320 mm	43020-016650	√	
<b>"T" CONNECTOR</b>				
	2"/51 mm	43040-019500	√	√
	3"/78 mm	43040-019600	√	√
	4"/102 mm	43040-019700	√	√
 Each kit includes 3 rubber gaskets and 3 metal rings	6"/160 mm	43020-016730	√	
	8"/209 mm	43020-016770	√	
	10"/260 mm	43020-016850	√	
	12"/320 mm	43020-016920	√	
<b>"T" TRANSITION CONNECTOR</b>				
	3"-2"-3" (78 mm-51 mm-78 mm)	43040-020100	√	√
	4"-3"-4" (102 mm-78 mm-102 mm)	43040-020200	√	√
 Each kit includes 3 rubber gaskets and 3 metal rings	8"-6"-8" (209 mm-160 mm-209 mm)	43020-016750	√	
	10"-8"-10" (260 mm-209 mm-260 mm)	43020-016800	√	
	12"-10"-12" (320 mm-260 mm-320 mm)	43020-016900	√	
<b>BARB X MTH NPT ADAPTOR</b>				
	2"/51 mm	43040-018205	√	√
	3"/78 mm	43040-018210	√	√
	4"/102 mm	43040-018380	√	√

## FLEXNET™ CONNECTORS KITS

Note: All the products are supplied as a kit including the seal and metal band.

PRODUCT PICTURE	PRODUCT DESCRIPTION	CATALOG NO.	FLEXNET™	FLEXNET HP™
<b>BARB X MTH BSP ADAPTOR</b>				
	2"/51 mm	43040-018050	√	√
	3"/78 mm	43040-018200	√	√
	4"/102 mm	43040-018350	√	√
<b>BARB X MTH BSP ADAPTOR WITH READY MADE PORT</b>				
	2"/51 + 1/2" BSP Port	43040-030900	√	√
	3"/78 + 1/2" BSP Port	43040-031000	√	√
	4"/102 + 1/2" BSP Port	43040-031100	√	√
<b>BARB X PVC SW ADAPTOR</b>				
	Barb 2"/51 mm * PVC SW ISO 50/63	43040-018100	√	√
	Barb 2"/51 mm * PVC SW ASTM 1.5"/2"	43040-018605	√	√
	Barb 3"/78 mm * PVC SW ISO 75/90	43040-018250	√	√
	Barb 3"/78 mm * PVC SW ASTM 2.5"/3"	43040-018610	√	√
	Barb 4"/102 mm * PVC SW ISO 110	43040-018400	√	√
	Barb 4"/102 mm * PVC SW ASTM 4"/102 mm	43040-018381	√	√
	PX 6"/160 mm * SW ISO 160	43040-032000	√	
	PX 6"/160 mm * SW ASTM 6"/160 mm	43040-032400	√	
	PX 8"/209 mm * SW ISO 200	43040-032100	√	
	PX 8"/209 mm * SW ASTM 8"/209 mm	43040-032500	√	
	PX 10"/260 mm * SW ISO 250	43040-032200	√	
	PX 10"/260 mm * SW ASTM 10"/260 mm	43040-032600	√	
	PX 12"/320 mm * SW ISO 315	43040-032300	√	
	PX 12"/320 mm * SW ASTM 12"/320 mm	43040-032700	√	
<b>BARB X PVC SW ISO ADAPTOR WITH READY MADE PORT</b>				
	Barb 2"/51 mm * PVC SW ISO 50/63 + 1/2" BSP Port	43040-031200	√	√
	Barb 3"/78 mm * PVC SW ISO 75/90 + 1/2" BSP Port	43040-031300	√	√
	Barb 4"/102 mm * PVC SW ISO 110 + 1/2" BSP Port	43040-031400	√	√

## FLEXNET HP™ 6" & 8" CONNECTORS KITS

PRODUCT PICTURE	PRODUCT DESCRIPTION	CATALOG NUMBER	FLEXNET™	FLEXNET HP™
	FXN HP PX Coupling 6"/160 kit + 4 clamps	43040-100600		√
	FXN HP PX Coup. for HP Barb Con 8" kit + 4 clamps	43040-100700		√
	FXN HP PX Barb Con 6" SW ISO 160 mm kit + 2 clamps	43040-100601		√
	FXN HP PX Barb 8"*SW ISO 200mm - HP kit + 2 clamps	43040-100701		√
	FXN HP PX Barb Con 6" SW ASTM kit + 2 clamps	43040-100602		√
	FXN HP PX Barb 8"*SW ASTM 8" - HP kit + 2 clamps	43040-100702		√

\* Two clamps on each side are needed due to the FlexNet HP™ nominal pressure

√ = Suitable





## FLEXNET™ CONNECTORS KITS

Note: All the products are supplied as a kit, including the seal and metal band.



PRODUCT PICTURE	PRODUCT DESCRIPTION	CATALOG NO.	FLEXNET™	FLEXNET HP™
<b>TRANSITION CONNECTOR</b>				
	2"/51 mm - 3"/78 mm	43040-020300	√	√
	3"/78 mm - 4"/102 mm	43040-020400	√	√
	4"/102 mm - 6"/160 mm	43040-031608	√	
 Each kit includes 2 rubber gasket and 2 metal rings	6"/160 mm - 8"/209 mm	43020-017000	√	
	8"/209 mm - 10"/260 mm	43020-017050	√	
	10"/260 mm - 12"/320 mm	43020-017100	√	
<b>FLANGE-BARB-FLANGE</b>				
 Each kit includes 1 rubber gasket and 1 metal ring a flat wood drill bit and 2 metal support rings	6"/160 mm	43020-013600	√	
	8"/209 mm	43020-013620	√	
	10"/260 mm	43020-013640	√	
<b>FLANGE-BARB</b>				
	Barb 2"/51 mm * Flange ISO 63	43040-030000	√	√
	Barb 3"/78 mm * Flange ISO 90	43040-030100	√	√
	Barb 4"/102 mm * Flange ISO 110	43040-030200	√	√
 Each kit includes 1 rubber gasket and 1 metal ring a flat wood drill bit and a metal support ring	Barb 6"/160 mm * Flange ISO 160	43020-012600	√	
	Barb 8"/209 mm * Flange ISO 200	43020-012620	√	
	Barb 10"/260 mm * Flange ISO 250	43020-012640	√	
	Barb 12"/302 mm * Flange ISO 315	43020-012645	√	
<b>UNIVERSAL FLANGE</b>				
	Barb 2"/51 mm	43040-036050	√	√
	Barb 3"/78 mm	43040-036150	√	√
	Barb 4"/102 mm	43040-036250	√	√
<b>FLANGE ADAPTOR</b>				
	2"/51 mm	43040-036350	√	√
	3"/78 mm	43040-036450	√	√
	4"/110 mm	43040-036550	√	√
<b>FLUSHING LINE END</b>				
	2"/51 mm	43040-030300	√	√
	3"/78 mm	43040-030400	√	√
	4"/102 mm	43040-030500	√	√
Each kit includes 1 rubber gasket and 1 metal ring	 6"/160 mm	43020-012780	√	
	8"/209 mm	43020-012800	√	
	10"/260 mm	43020-012820	√	
	12"/302 mm	43020-012830	√	

√ = Suitable


## FLEXNET™ CONNECTOR THREADING TOOLS

PRODUCT PICTURE	PRODUCT DESCRIPTION	CATALOG NO.	FLEXNET™	FLEXNET HP™
	1/2" BSP hand tap (thread)	45000-003185	√	√
	Flat wood drill bit 18mm for BSP 1/2" tap	45000-003162	√	√


## FLEXNET™ SPARE PARTS

PRODUCT PICTURE	PRODUCT DESCRIPTION	CATALOG NUMBER	FLEXNET™	FLEXNET HP™
	SS304 Clamp for Barb Conn 2" (RX)	43040-100000	√	√
	SS304 Clamp for Barb Conn 3" (RX)	43040-100010	√	√
	SS304 Clamp for Barb Conn 4" (RX)	43040-100020	√	√
	SS304 Clamp for Barb Conn 6" (RX)	43040-100030	√	√
	SS304 Clamp for Barb Conn 8" (RX)	43040-100040	√	
	SS304 Clamp for Barb Conn 10" (RX)	43040-100050	√	
	SS304 Clamp for Barb Conn 12" (RX)	43040-100060	√	
	O-ring Seal EPDM 40 x 4.5 For Barb Conn 2"	43040-006200	√	√
	O-ring Seal EPDM 60 x 4.5 for Barb Conn 3"	43040-006230	√	√
	O-ring Seal EPDM 80 x 4.5 for Barb Conn 4"	43040-006260	√	√
	FXN /FXN HP Rubber Seal F/Barb Conn 6"	43020-010000	√	√
	FXN /FXN HP Rubber Seal F/Barb Conn 8"	43020-010050	√	
	FXN /FXN HP Rubber Seal F/Barb Conn 10"	43020-010100	√	
	FXN /FXN HP Rubber Seal F/Barb Conn 12"	43020-010150	√	

## HYDRAULIC LAYING AND RETRIEVING MACHINE



CATALOG NUMBER	PRODUCT DESCRIPTION	PRODUCT ILLUSTRATION
77200-001110	LAYING & RECOILING MACHINE 2"-4" FXN/FXN HP	

## MANUAL LAYING AND RETRIEVING MACHINE

CATALOG NUMBER	PRODUCT DESCRIPTION	PRODUCT ILLUSTRATION
77200-001130	MANUAL LAYING & RECOILING MACHINE 2"-6" FXN/FXN HP	

√ = Suitable

## FLEXNET™ ACCESSORIES FOR SPRINKLERS SYSTEM

<p><b>COMPLETE STAND W/O STAKE</b>                  Female press fit conn. + 1.2 meter 9*12 tube + barb/male F&amp;S conn.,  <b>THESE 3 products are SUPPLIED assembled,</b>                  and as separate products in the same box: flat female/1/2" male threaded S&amp;F conn. + stake adapter that fits a 6 mm rod</p>		<p><b>IMP SPR STAND 9*12 120CM</b>                  W/OSTK F&amp;S FLX</p>			
<p>64020-006150</p>		<p>64520-004910</p>			
<p><b>SPR STAND QUICK CONN</b>                  MALE/BARB 12+0" RING</p>		<p><b>SPR STAND FTN F&amp;S CONN</b>                  FEMALE/ 1/2" MTH</p>		<p><b>REDUCTION NIPPLE</b>                  3/4" MALE - 1/2" MALE</p>	
<p>65080-005060</p>		<p>65080-005210</p>		<p>78220-007700</p>	
<p><b>METAL ROD</b></p>		<p><b>SPR STAND F&amp;S CONN</b>                  LOCKING SLEEVE 12</p>		<p><b>BUSHING CONNECTOR</b>                  3/4" MALE - 1/2" FEMALE</p>	
<p>6 mm diameter,                  100 cm length                  65080-001100</p>		<p>65080-005090</p>	<p>78220-004100</p>		
<p>6 mm diameter,                  120 cm length                  65080-001200</p>					
<p>8 mm diameter,                  100 cm length                  65080-001600</p>					
<p>8 mm diameter,                  120 cm length                  65080-001700</p>					
<p><b>MEGA-RISER 1/2"</b>                  0.4 meter length                  1/2" male threaded - 1/2" female threaded</p>		<p><b>MEGA-SUPPORTING ARM</b></p>		<p><b>MEGA-BASE</b></p>	
<p>64520-002490</p>		<p>64520-002485</p>		<p>64520-002480</p>	

\* For more information please see Netafim™ Micro Sprinklers, Micro Emitters & Sprinklers catalogue



